AMENDMENTS TO THE CLAIMS

Please amend claims as shown below.

Claim 1 (currently amended): Method for the treatment of <u>first and second</u> skin areas affected by psoriasis comprising the steps of:

- determining the <u>a first and a second epidermis</u> thickness of the epidermis in such the first and second skin areas, <u>respectively</u>;
- determining a first and a second laser radiation dose that causes a visible redness without blister formation to occur in the first and second skin areas, respectively;
- gradually varying the a UV radiation dose per treatment generated by a laser

 from the first skin area to the second skin area depending on the first and
 second epidermis thicknesses so detected and the first and second laser
 radiation doses; and
- directing the UV radiation dose onto the affected <u>first and second</u> skin areas.

 said method further comprising the steps of
- determining whether any of the skin areas receiving the UV radiation dose show
 a visible redness without blister formation to occur based on this given UV
 radiation dose and the thickness of the epidermis detected in this skin
 area, and
- varying the UV radiation dose per treatment for the treatment of any skin area showing visible redness without blister formation.

Claim 2 (previously presented): Method according to claim 1 wherein determining the thickness of the epidermis involves determining individually the epidermis for each affected skin area and regulating individually the UV radiation dose for each affected skin area depending on the epidermis thickness so detected for each affected skin area.

Claim 3 (previously presented): Method according to claim 1 further comprising

the step of increasing the UV radiation dose applied in a subsequent treatment session

when a hyperpigmentation occurs within the treated skin area or in the event a visible

reaction cannot be noted, maintaining the laser radiation dose applied.

Claim 4 (previously presented): Method according to claim 1 further comprising

the step of newly determining the thickness of the epidermis of a skin area affected by

psoriasis after a treatment by means of UV radiation and, based on this, the UV

radiation dose being applied during the next treatment is newly adapted.

Claim 5 (previously presented): Method according to claim 1 wherein the step of

determining the thickness of the epidermis involves using an ultrasonic device.

Claim 6 (currently amended): Method according to claim 1 wherein the step of

regulating varying the UV radiation dose generated by a laser involves using an excimer

laser.

Claim 7 (previously presented): Method according to claim 6 wherein a XeCl

laser is employed as the excimer laser.

Claim 8 (previously presented): Method according to claim 1 wherein directing

the UV radiation dose onto the affected skin areas involves placing an end piece of a

flexible light conductor onto the skin areas to be treated.

Claim 9 (cancelled)

Claim 10 (previously presented): Method according to claim 1 wherein directing

the UV radiation dose onto the affected skin areas involves using a mirror arm for

directing the UV radiation dose onto the skin areas to be treated.

Page 3

Application Number: 10/689,463 Docket Number: 01840.0001-US-01

Office Action Response

Claim 11 (currently amended): Method according to claim 1 wherein regulating varying the UV radiation dose involves using a control system that automatically regulates the UV radiation dose applied to skin areas affected by psoriasis as a function of the thickness of the epidermis of these skin areas.

Claims 12 and 13 (cancelled)

Claim 14 (currently amended): Method according to claim 1 wherein regulating varying the UV radiation dose for the treatment of any skin area showing visible redness without blister formation involves correlating the thickness of the epidermis of various skin areas affected by psoriasis with the thickness of the epidermis of one skin area for which the UV radiation dose shows a visible redness without blister formation based on said thickness wherein the UV radiation dose to be applied for treatment is individually established for each individual skin area to be treated.

Claims 15-47 (cancelled)